



# Alphabetical Index

## A

**Accessories**, Shock Absorber, Metric ..... 6-14  
**Axial Type Bumpers**, (*See Bumpers*)

## B

**Bantam Flexible Couplings**, Inch ..... 9-14  
**Base Mounts**,

Cylindrical Type, Rubber, Metric ..... 2-12  
 Diamond Base, Neoprene, Inch ..... 2-15  
 Dome Type, Rubber, Metric ..... 2-14  
 Flange Type,  
     Rubber, Metric ..... 2-2  
     Silicone Gel, Metric ..... 2-3  
 Rectangular Base, Neoprene, Inch ..... 2-16  
 Technical Information, Neoprene ..... 2-17

**Bolt Mounts**,

Ring and Bushing Type, Rubber, Inch ..... 7-10  
 Silicone Gel Type, Metric ..... 7-15  
 Silicone vs. Rubber Technical Information ..... 7-17  
 Solo Unitized, Rubber, Inch ..... 7-8  
 Tandem Unitized, Rubber, Inch ..... 7-9  
 Washer Type, Silicone Rubber & Steel, Inch ..... 7-16  
 Washers and Installation, Steel, Inch ..... 7-13

**Bumpers**,

Axial Type, Elastomer-Polyester, Inch  
     High-Load ..... 6-5  
     Low-Load ..... 6-7  
 Conical, Rubber  
     Inch ..... 6-8  
     Metric ..... 6-9  
 Radial Type, Elastomer-Polyester, Inch ..... 6-6  
 Rectangular, Steel & Rubber, Inch ..... 6-11  
 Technical Information (English Units) ..... 6-2

## C

**Cable Isolators**, Inch

1/16" & 3/32" Cable Dia. .... 5-24  
 1/8" & 5/32" Cable Dia. .... 5-25  
 3/16" Cable Dia.,  
     Large O.D., Light Duty ..... 5-27  
     Small O.D., Standard Duty ..... 5-26  
 1/4" Cable Dia. .... 5-28  
 3/8" Cable Dia. .... 5-29  
 1/2" Cable Dia. .... 5-30  
 Technical Information ..... 5-23

**Carry Leveling Mounts**,

Rubber & Steel Ball, Metric ..... 3-7

**Channel Mounts**, Steel & Rubber, Inch ..... 6-10

**Chips**, Silicone Gel, Metric ..... 8-10

**Conical Bumpers**, (*See Bumpers*)

**Conical Type Leveling Mounts**, Rubber, Metric ..... 3-6

**Couplings**, Flexible,

Inch,  
     Bantam ..... 9-14  
     Geargrip ..... 9-11  
     Jaw Type ..... 9-10

**(Couplings, cont'd)**

"K" Type ..... 9-12  
 Neo-Flex,  
     Long ..... 9-4  
     Short ..... 9-2  
 One-Piece ..... 9-14  
 Spider Type ..... 9-8  
 Spline Type ..... 9-6

Metric,

"K" Type ..... 9-13  
 Neo-Flex,  
     Long ..... 9-5  
     Short ..... 9-3  
 Spider Type ..... 9-9  
 Spline Type ..... 9-7

**Cup Mounts**, Rubber, Inch ..... 2-11

**Cylindrical Mounts**,

Female-Blank,  
     Sorbothane®,  
         Inch ..... 1-31  
         Metric ..... 1-32  
     Urethane, Inch ..... 1-29  
 Female-Female, Rubber, Inch ..... 1-28

Male-Blank,

Sorbothane®,  
     Inch ..... 1-31  
     Metric ..... 1-32  
     Urethane, Inch ..... 1-30

Male-Female,

Neoprene, Inch ..... 1-24  
 Rubber,  
     Inch ..... 1-26  
     Metric ..... 1-27  
 Sorbothane®,  
     Inch ..... 1-31  
     Metric ..... 1-32  
     Urethane, Inch ..... 1-29

Male-Male,

Rubber,  
     Inch ..... 1-5  
     Metric ..... 1-17  
 Sorbothane®,  
     Inch ..... 1-31  
     Metric ..... 1-32  
     Urethane, Inch ..... 1-30

**Cylindrical Type Base Mounts**, Rubber, Metric ..... 2-12

## D

**Damped Type Spring Mounts**, Inch

Stainless Steel Mesh,  
     To 10 lbs. .... 5-15  
     To 132 lbs. .... 5-16  
     To 200 lbs. .... 5-9  
     To 750 lbs. .... 5-10  
     To 1235 lbs. .... 5-12  
     To 2469 lbs. .... 5-13



# Alphabetical Index

**Dome Type Base Mounts, Rubber, Metric** ..... 2-14

## E

**Elliptic Leaf Type, Spring Mounts, Inch**

- Polymer Damped ..... 5-3
- Stainless Steel Mesh Damped ..... 5-5
- Technical Information ..... 5-2

## F

**Finger-Flex Assemblies, Rubber, Inch** ..... 2-9

**Finger-Flex Mounts, Rubber, Inch**

- To 12 lbs. .... 7-3
- To 25 lbs. .... 7-4
- To 37 lbs. .... 7-5
- To 80 lbs. .... 7-6
- To 350 lbs. .... 7-7
- Technical Information ..... 7-2

**Flange Type Base Mounts, Metric**

- Rubber ..... 2-2
- Silicone Gel ..... 2-3

**Foam Pads, Silicone, Metric** ..... 8-8

**Foam Type Spring Mounts, Metric**

- To 1250 N ..... 5-7
- To 4500 N ..... 5-8

## G

**Geargrip Flexible Couplings, Inch** ..... 9-11

**Gel, Silicone** (*See Silicone Gel Mounts, Pads, Tape & Chips*)

**Grommets, Vinyl Elastomer, Inch** ..... 7-14

## I

**Isolators, Cable, Inch**

- 1/16" & 3/32" Cable Dia. .... 5-24
- 1/8" & 5/32" Cable Dia. .... 5-25
- 3/16" Cable Dia.,
  - Large O.D., Light Duty ..... 5-27
  - Small O.D., Standard Duty ..... 5-26
- 1/4" Cable Dia. .... 5-28
- 3/8" Cable Dia. .... 5-29
- 1/2" Cable Dia. .... 5-30
- Technical Information ..... 5-23

**Iso-Pad Sheets,**

- Vinyl Chloride Elastomeric Resin, Inch ..... 8-3

**Iso-Pad Type Leveling Mounts, Inch** ..... 3-5

**Iso-Pads,**

- Vinyl Chloride Elastomeric Resin, Patterned, Inch ..... 8-2

## J

**Jaw Type Flexible Couplings, Inch** ..... 9-10

## K

**"K" Type Flexible Couplings**

- Inch ..... 9-12
- Metric ..... 9-13

## L

**Leveling Mounts,**

- Carry, Rubber and Steel Ball, Metric ..... 3-7
- Conical Type, Rubber, Metric ..... 3-6
- Iso-Pad Type, Inch ..... 3-5
- Neoprene, to 2500 lbs., Inch ..... 3-2
- to 12000 lbs., Inch ..... 3-4
- Stainless Steel Mesh, to 10000 lbs., Inch ..... 3-3

## M

**Mounts,**

Base,

- Cylindrical Type, Rubber, Metric ..... 2-12
- Diamond Base, Neoprene, Inch ..... 2-15
- Dome Type, Rubber, Metric ..... 2-14
- Flange Type,
  - Rubber ..... 2-2
  - Silicone Gel ..... 2-3
- Rectangular Base, Neoprene, Inch ..... 2-16

Bolt,

- Ring and Bushing Type, Rubber, Inch ..... 7-10
- Silicone Gel Type, Metric ..... 7-15
- Silicone vs. Rubber Technical Information ... 7-17
- Solo Unitized, Rubber, Inch ..... 7-8
- Tandem Unitized, Rubber, Inch ..... 7-9
- Washer Type, Silicone Rubber & Steel, Inch ..... 7-16

Channel, Steel & Rubber, Inch ..... 6-10

Cup Type, Rubber, Inch ..... 2-11

Cylindrical,

- Female-Blank,
  - Sorbothane®,
    - Inch ..... 1-31
    - Metric ..... 1-32
  - Urethane, Inch ..... 1-29

Female-Female, Rubber, Inch ..... 1-28

- Male-Blank,
  - Sorbothane®,
    - Inch ..... 1-31
    - Metric ..... 1-32
  - Urethane, Inch ..... 1-30

Male-Female, Neoprene, Inch ..... 1-24

- Rubber,
  - Inch ..... 1-26
  - Metric ..... 1-27

- Sorbothane®,
  - Inch ..... 1-31
  - Metric ..... 1-32
- Urethane, Inch ..... 1-29

Male-Male, Rubber,

- Inch ..... 1-5
- Metric ..... 1-17

- Sorbothane®,
  - Inch ..... 1-31
  - Metric ..... 1-32



# Alphabetical Index

## (Mounts, cont'd)

Urethane .....	1-30
Finger-Flex Type, Rubber, Inch .....	2-9
Finger-Flex,	
Rubber, Inch	
To 12 lbs. ....	7-3
To 25 lbs. ....	7-4
To 37 lbs. ....	7-5
To 80 lbs. ....	7-6
To 350 lbs. ....	7-7
Leveling,	
Carry, Steel Ball and Rubber, Metric .....	3-7
Conical Type, Rubber, Metric .....	3-6
Iso-Pad Type, Inch .....	3-5
Neoprene, to 2500 lbs., Inch .....	3-2
to 12000 lbs., Inch .....	3-4
Stainless Steel Mesh, to 10000 lbs., Inch ....	3-3
M-Style, Rubber, Metric .....	2-18
Plate Type, Rubber, Inch .....	2-4
Rectangular, Rubber, Inch .....	2-21
Ring,	
Male-Male, Rubber, Inch .....	1-37
Modular, Heavy-Duty, Rubber, Metric .....	1-38
Silicone Gel, Metric	
Base Type .....	2-3
Bolt Type .....	7-15
Spring Type, Miniature .....	5-14
Stud Type, Male-Male .....	1-36
Spring,	
Elliptic Leaf Type, Inch	
Polymer Damped .....	5-3
Stainless Steel Mesh Damped .....	5-5
Technical information .....	5-6
Technical Information, (Naval "X"Type) ..	5-2
Foam Type, Metric	
To 1250 N .....	5-7
To 4500 N .....	5-8
Pedestal Type, Inch .....	5-21
Silicone Gel Type, Miniature, Metric .....	5-14
Single Hole Type, Inch .....	5-22
Stainless Steel Mesh Damped, Inch	
To 10 lbs. ....	5-15
To 132 lbs. ....	5-16
Double Spring, Inch	
To 2469 lbs. ....	5-13
Quad Springs, Inch	
To 750 lbs. ....	5-10
Single Spring,	
To 200 lbs. ....	5-9
To 1235 lbs. ....	5-12
Suspension Type .....	5-20
Square,	
Rubber,	
Metric .....	8-5
Male-Male, Inch .....	1-2

## (Mounts, cont'd)

Stainless Steel Mesh, Inch	
To 1000 lbs. ....	5-17
To 1600 lbs. ....	5-18
To 16000 lbs. & 20000 lbs. ....	5-19
Suspension, Metric	
Rubber Type .....	4-3
Spring and Rubber Type .....	4-2
V-Style, Rubber, Metric .....	2-19
V10Z32 Selection Criteria Technical Information ...	5-11
<b>M-Style Mounts, Rubber, Metric .....</b>	<b>2-18</b>

## N

### Neo-Flex Couplings,

Long,	
Inch .....	9-4
Metric .....	9-5
Short,	
Inch .....	9-2
Metric .....	9-3

### Neoprene Base Mounts, Inch

Diamond Base .....	2-15
Rectangular Base .....	2-16

### Neoprene Mounts, Cylindrical, Male-Female, Inch ..

1-24
------

## O

### One-Piece Flexible Couplings, Inch .....

9-14
------

## P

### Pads,

Iso-, Vinyl Chloride Elastomeric Resin, Inch	
Patterned .....	8-2
Sheets, .....	8-3
Silicone Foam, Metric .....	8-8
Silicone Gel, Metric .....	8-9
<b>Pads-Paired Ribbed, Rubber, Metric .....</b>	<b>8-7</b>
<b>Pads-Single Ribbed, Rubber, Metric .....</b>	<b>8-6</b>
<b>Pedestal Type Spring Mounts, Inch .....</b>	<b>5-21</b>
<b>Platemounts, Rubber, Inch .....</b>	<b>2-4</b>

## R

<b>Radial Type Bumpers, Elastomer-Polyester, Inch ...</b>	<b>6-6</b>
<b>Rectangular Bumpers, Steel &amp; Rubber, Inch .....</b>	<b>6-11</b>
<b>Rectangular Mounts, Rubber, Inch .....</b>	<b>2-21</b>
<b>Ribbed Paired Pads, Rubber, Metric .....</b>	<b>8-7</b>
<b>Ribbed Single Pads, Rubber, Metric .....</b>	<b>8-6</b>
<b>Ring and Bushing Type Bolt Mounts, Rubber, Inch ..</b>	<b>7-10</b>
<b>Ring Mounts,</b>	
Male-Male, Rubber, Inch .....	1-37
Modular, Heavy-Duty, Rubber, Metric .....	1-38
<b>Rubber Mounts, Square, Metric .....</b>	<b>8-5</b>
<b>Rubber Type Suspension Mounts, Metric .....</b>	<b>4-3</b>

## S

### Shaft Couplings Technical Section .....

T2-1
------



# Alphabetical Index

<b>Sheets, Iso-Pad,</b>	
Vinyl Chloride Elastomeric Resin, Inch .....	8-3
<b>Shock Absorbers, Metric .....</b>	<b>6-14</b>
Features .....	6-12
Technical Information .....	6-22
<b>Silicone Foam Pads, Metric .....</b>	<b>8-8</b>
<b>Silicone Gel Mounts, Metric</b>	
Applications .....	1-35
Base Type .....	2-3
Bolt Type .....	7-15
Spring Type, Miniature .....	5-14
Stud Type, Male-Male .....	1-36
Technical Information .....	1-34
<b>Silicone Gel Pads, Metric .....</b>	<b>8-9</b>
<b>Silicone Tape &amp; Chips, Metric .....</b>	<b>8-10</b>
<b>Single Hole Type Spring Mounts, Inch .....</b>	<b>5-22</b>
<b>Solo Unitized Bolt Mounts, Rubber, Inch .....</b>	<b>7-8</b>
<b>Sorbothane® Mounts,</b>	
Cylindrical,	
Female-Blank,	
Inch .....	1-31
Metric .....	1-32
Male-Blank,	
Inch .....	1-31
Metric .....	1-32
Male-Female	
Inch .....	1-31
Metric .....	1-32
Male-Male	
Inch .....	1-31
Metric .....	1-32
Technical Information .....	1-33
<b>Spider Type Flexible Couplings,</b>	
Inch .....	9-8
Metric .....	9-9
<b>Spline Type Flexible Couplings,</b>	
Inch .....	9-6
Metric .....	9-7
<b>Spring and Rubber Type Suspension Mounts,</b>	
Metric .....	4-2
<b>Spring Mounts,</b>	
Damped Type, Inch	
Stainless Steel Mesh Damped, To 132 lbs. .	5-16
Elliptic Leaf Type, Inch	
Polymer Damped .....	5-3
Stainless Steel Mesh Damped .....	5-5
Technical information .....	5-6
Technical Information (Naval "X" Type) .....	5-2
Foam Type, Metric	
To 1250 N .....	5-7
To 4500 N .....	5-8
Pedestal Type, Inch .....	5-21
Silicone Gel Type, Miniature, Metric .....	5-14
Single Hole Type, Inch .....	5-22
Stainless Steel Mesh Damped, Inch	
To 10 lbs. ....	5-15

<b>(Spring Mounts, cont'd)</b>	
Double Spring, To 2469 lbs. ....	5-13
Quad Springs, To 750 lbs. ....	5-10
Single Spring,	
To 200 lbs. ....	5-9
To 1235 lbs. ....	5-12
Suspension Type, Inch .....	5-20
<b>Square Mounts, Male-Male, Rubber, Inch .....</b>	<b>1-2</b>
<b>Square Rubber Mounts, Metric .....</b>	<b>8-5</b>
<b>Stainless Steel Mesh Mounts, Inch</b>	
To 1000 lbs. ....	5-17
To 1600 lbs. ....	5-18
To 16000 lbs. & 20000 lbs. ....	5-19
<b>Suspension Mounts,</b>	
Spring and Rubber Type, Metric .....	4-2
<b>Suspension Type Spring Mounts, Inch .....</b>	<b>5-20</b>

## T

<b>Tandem Unitized Bolt Mounts, Rubber, Inch .....</b>	<b>7-9</b>
<b>Tape, Silicone Gel, Metric .....</b>	<b>8-10</b>
<b>Technical Information,</b>	
Base Mounts, Neoprene .....	2-17
Bolt Mount Silicone vs. Rubber .....	7-17
Bumper (English Units) .....	6-2
Cable Isolators .....	5-23
Elliptic Leaf Type Spring Mounts .....	5-6
Finger-Flex Mounts .....	7-2
Proper Application of Silicone Gel Mounts .....	1-35
Shock Absorber Features .....	6-12
Shock Absorber Stroke Control .....	6-13
Shock Absorbers (Metric Units) .....	6-22
Silicone Gel Mounts .....	1-34
Sorbothane® .....	1-33
Spring Mounts, Elliptic Leaf Type (Naval "X" Type) .....	5-2
V10Z32 Mounts Selection Criteria .....	5-11
<b>Technical Section, Shaft Couplings .....</b>	<b>T2-1</b>
Vibration Mounts .....	T1-1

## U

<b>Urethane Mounts,</b>	
Cylindrical, Inch	
Female-Blank .....	1-29
Male-Blank .....	1-30
Male-Female .....	1-29
Male-Male .....	1-30

## V

<b>Vibration Mounts, Technical Section .....</b>	<b>T1-1</b>
<b>Vibration Transmissibility Charts .....</b>	<b>2-24</b>
<b>Vinyl Elastomer Grommets, Inch .....</b>	<b>7-14</b>
<b>V-Style Mounts, Rubber, Metric .....</b>	<b>2-19</b>

## W

<b>Washer Type Bolt Mounts,</b>	
Silicone Rubber & Steel, Inch .....	7-16
<b>Washers for Bolt Mounts, Steel, Inch .....</b>	<b>7-13</b>